



Certifier40G™

The industry standard in enterprise certification

Data consumption has exploded in the past few years and enterprise network owners are scrambling to meet the demanding requirements of 40 G and beyond to serve their buildings, data centers, and campuses. New technologies are driving change in every aspect of enterprise networks—new industry standards, new topologies, new types of connectivity, new test methods, and certainly new challenges for designers and technicians. Everything in the enterprise is new!

Our customers tell us that their old tools are insufficient for new enterprise networks. The JDSU Certifier40G equips technicians with all the capabilities they need to certify both copper and fiber networks quickly, completely, and correctly for all current and future cabling standards for the new enterprise.

Drive User Efficiency

The Certifier40G is not only the most advanced solution available, it is also the fastest and most complete. Whether certifying copper or fiber, users will get the job done right and on time... the first time!

- The industry's fastest CAT6A solution can certify each cable within 9 seconds, saving users 30 minutes each time they test 150 CAT6A cables*
- Tier 1 certification of multimode, single-mode, and multimode MPO fiber in less than 6 seconds
- Automate pass/fail end-face analysis for all fiber types
- Gain complete test visibility at both local and remote ends
- Pre-configured with all leading manufacturer's cabling specifications



* Time savings based on CAT6A cable testing with other existing cable certifiers.

Key Benefits

- Achieve complete network certification with one device
- Optimize productivity with the industry's fastest test workflow
- Obtain comprehensive results for the latest TIA-568 and ISO 11801 requirements
- View test set up and results data and edit labels at both local and remote ends

Features

- Permanent link and channel adapters for certifying to TIA category 5e/6/6A and ISO class D/E/EA/F/FA
- Multimode (850/1300 nm) and single-mode (1310/1550 nm) adapters for Tier 1 fiber certification (loss/length/polarity)
- Multimode (850 nm) MPO adapters for certifying and troubleshooting MPO links and trunks
- Industry-leading JDSU P5000i digital fiber end-face inspection probe support
- Integrated, standards-based certification labeling and reporting

Applications

- Complete TIA 568/ISO 11801 copper and fiber certification
- TIA-942-A data center certification
- Certify plug-and-play (trunk/cassette) fiber connectors with MPO connectors
- Objective pass/fail testing for IEC 61300-3-35 fiber end-face requirements

The Only Category-8-Ready Certifier

Copper cabling systems are rapidly evolving to support the new enterprise. With the IEEE working to ratify 802.3bq (40GBASE-T), and TIA moving quickly to ratify Category 8 cabling systems, the need to test cabling systems to beyond 2000 MHz is on the horizon. The JDSU Certifier40G is the only certification tool on the market today that is ready for these new standards. The JDSU Certifier40G has been ETL verified to ANSI/TIA-1152 Level IIIe, IEC 61935-1 Levels IIIe and IV, and Level V draft accuracy specifications.



The current IEC 61935-1 proposed Level V draft accuracy standard addressed the needs up to Class FA (1000 MHz). The JDSU Certifier40G is accurate beyond 2000 MHz and, therefore, will support the latest standards being developed to protect your investment.

Easily Test 10/40/100 G MPO Links

In new enterprise architectures, the use of parallel optics has become essential to achieve the demand for high-speed 40 G and 100 G transmission. From active media incorporating quadrature small form-factor pluggable (QSFP) transceivers to using trunk cables and cassettes, MPO connectivity is essential for delivering speeds of 40 G and beyond in the enterprise.

- The industry's only modular certifier with MPO test capability
- Test MPO to LC/SC
- Discover or ensure correct polarity with Fiber Map
- Conduct 5-second loss and polarity tests on 12 fibers
- Display absolute and relative power levels
- Measure MPO power on live systems



Inspect Fiber End Faces with Pass/Fail Analysis

Dirty connectors are the number one cause for troubleshooting in optical networks. Microscopic dirt particles create enough signal loss and back reflection to cause significant network errors and downtime. Proactively inspecting fiber end faces is critical for testing and certifying a fiber network. The Telecommunications Industry Association (TIA) recently revised TIA-568 to establish quality and cleanliness acceptance criteria for fiber connector end faces when testing optical connections. Whether using TIA-568 or customer-specific requirements, users can easily inspect and certify fiber connector end faces with automated pass/fail analysis at the push of a button on the Certifier40G to get the job done quickly and correctly.

- Prove compliance to the new TIA-568 end-face inspection requirements
- Get fast results at the push of a button
- Eliminate subjectivity with automated pass/fail analysis
- Ensure your network is optimized for a lifetime of performance
- Prevent costly network downtime and time-consuming troubleshooting



The Complete Tier 1 Test Solution

Voice and video, cloud computing, and virtualization are driving an increasing demand for fiber-cabling networks. To guarantee that these new fiber networks can handle higher data rates, they must be certified based on the TIA-568 and ISO 11801 industry standards, which specify the insertion loss and length requirements for each type of fiber-optic cabling. The JDSU Certifier40G fiber test adapters quickly and accurately certify any fiber-cabling installation. These adapters complement an existing, comprehensive copper-cabling feature set, letting structured-cabling installers and professionals perform all their fiber and copper certifications with the same, easy-to-use tool.


- Perform standards-compliant loss measurements of multimode fiber cabling with encircled flux (EF) multimode test heads; EF launch conditions are required by TIA and IEC standards and help ensure consistency and accuracy of loss results
- Two complete user interface touch screens show full fiber results at both ends giving technicians complete results for all fibers and all wavelengths—not just a pass/fail light

Comprehensive, Easy-to-Use Reporting

Manage your test results and generate professional reports for all your test results with J-Reporter, the JDSU reporting platform for the Certifier40G. Included with the Certifier40G, J-Reporter is PC-based software that produces consolidated reports for copper, fiber (including MPO and end-face certification with the JDSU P5000i optical scope), and OTDR traces from the JDSU T-BERD®/MTS-2000 instrument.

Additional features include:

- Adding a company's logo and name
- Reporting in summary or detail
- Creating hierarchies for record keeping



Test Type	Device Type	Cable Label	Overall Result	Line Type	Overall Length (ft)	NEXT Margin (dB)	PL Margin (dB)
1	MPO	Certifier40G	✓	Custom Limit			
2	Fiber	Certifier40G	✓	TIA	5191		
3	MPO	Certifier40G	✓	Custom Limit			
4	Inspection Probe	Certifier40G	✓	MM (EC-61300-3-05)			
5	Power Meter	Certifier40G	✓	TIA			
6	MPO	Certifier40G	✓	Custom Limit			
7	Copper	Certifier40G	✓	ISO - Class FA Channel	60.1	14.1	5.3
8	Copper	Certifier40G	✓	ISO - Class FA Channel	60.1	14.1	5.3
9	Copper	Certifier40G	✓	ISO - Class FA Channel	60.1	14.1	5.3
10	OTDR	T-BERD 4000	✓	MTS-2000 multimode 1300nm test set	96.5	12.7	8.9
11	Fiber	Certifier40G	✓	ISO 11801	1188		
12	Copper	Certifier40G	✓	ISO - Class FA Link PL1 PL2 CFI	96.4	99.0	5.0
13	Copper	Certifier40G	✓	TIA - Cat 6A Channel	19.7	25.8	6.0
14	Fiber	Certifier40G	✓	ISO 15703	1188.8		
15	Copper	Certifier40G	✓	TIA - Cat 6 Channel	2	17.7	8.8
16	Fiber	Certifier40G	✓	Link Installation	754.1		

Summary	Overall Result	Value/Margin
Local Ser. No.	jw20100537	
Remote Ser. No.	jw20100538	
Cable Manufacturer	Generic UTP	
Cable Name	CAT 6A UTP	
Cable Type	UTP	
Connector Manufacturer	Shielded Connector	
Connector Name	STP Mod Jack 6	
Connector Type	Shielded	
Limit	TIA - Cat 6A Channel	
1A-A2		
Measurement		
Length (ft)	96.5	
Delay (ns)	441.0	
Cable NVP (%)	70	
Resistance (Ohms)	10.8	
Insertion Loss (dB)	0.8	
Return Loss (dB)	7.0	
NEXT (dB)	2.9	
PSNEXT (dB)	3.9	
ACPR (dB)	1.1	
PSACPR (dB)	3.3	
PSACPR (dB)		

J-Reporter

Certifier10G for Copper Only

To test and certify copper up to Category 6A, the Certifier10G is the cost-effective solution. Without support for fiber or Class FA, the Certifier10G is an entry-level copper certifier with the same benefits as Certifier40G. Contact JDSU for more information.



Two complete units minimize time initiating, naming, and saving results



USB flash drive supports transferring test results



For more fiber testing and certification capabilities, combine the Certifier40G with one of the market-leading JDSU fiber testers, such as the T-BERD/MTS-2000

Ordering Information

Description	Part Number ¹
Certifier40G copper	NGC-4500-FA
Certifier40G copper, multimode (EF)	NGC-4500-CuMMEF
Certifier40G copper, single-mode, multimode (EF)	NGC-4500-CuQEF
Certifier40G copper, multimode (EF), MM MPO	NGC-4500-CuMMEFMPO
Certifier40G copper, single-mode, multimode (EF), MM MPO	NGC-4500-CuQEFMPO

Copper kits ship with all adapters and cords for testing links and channels to CAT6A/Class EA. Class FA adapters are available. The mainframe tests to beyond 2000 MHz and is CAT8 ready.

1. Append model number with -NA, -UK, -EU, -AU for regional power cords.



Copper kit



MM (EF) modules



MPO modules



SM modules

Visit www.jdsu.com/go/Certifier40G for more information, vendor endorsements, and product videos.



North America
Latin America
Asia Pacific
EMEA

Toll Free: 1 855 ASK-JDSU
Tel: +1 954 688 5660
Tel: +1 800 223 7070
Tel: +49 7121 86 2222

(1 855 275-5378)
Fax: +1 954 345 4668
Fax: +65 6602 8301
Fax: +49 7121 86 1222